

PLANNING AND DEVELOPMENT BRANCH

NOTICE INVITING QUOTATIONS

PLD/E1/11010/2026

01.07.2026

Sealed competitive Quotations super scribed as "Replacing the Damaged Floor Tiles at Department of Music, Payyanur Campus of Kannur University" are invited from registered competent civil Contractors/firms.

Quotations with all details should reach the office of the Registrar, Kannur University, Kannur-2 on or before 16/07/2026 at 3.00 pm and the Quotations will be opened at 3.30 pm on the same day.

Conditions:

1. The rate quoted should be **inclusive of GST and all other charges if any**. The base rate, GST charges and other charges if any should be furnished separately and nothing extra shall be admissible over and above the rate quoted.(Estimate amount is ₹78,000/-)
2. The Contractor shall arrange suitable materials and equipment and should be got approved by the Executive Engineer and work shall be executed as per KPWD specifications.
3. The Payment will be made through bank account and no advance payment will be sanctioned.
4. The successful bidder will be required to deposit Performance Guarantee/Security Deposit as per rules.
5. Work shall be completed within **3 months** from the date of agreement.
6. A defect liability period is **2 years** from the date of completion of work
7. Quotation forms and details of works can be had from the www.kannuruniv.ac.in.
8. The Registrar, Kannur University reserves the right to reject any of the quotations or all the quotations without assigning any reason whatsoever.
9. Quotation schedule is appended herewith.

sd/-

Registrar

To

1. Notice Board
2. Website



KANNUR UNIVERSITY

QUOTATION SCHEDULE

NAME OF WORK: REPLACING THE DAMAGED FLOOR TILES AT DEPARTMENT OF MUSIC, PAYYANNUR CAMPUS

SL. NO	QTY	PARTICULARS	UNIT	RATE		AMOUNT (RS)	REMARKS
				IN FIGURES (RS)	IN WORDS (RS)		
1		CIVIL WORKS					
1.001	31.450	15.23.2 Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles above 25 mm and up to 40 mm	sqm				
1.002	3.450	11.47.2 Providing and laying Vitrified tiles in different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS : 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). Size of Tile 600x600 mm	sqm				

1.003	28.000	11.49.2 Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS : 15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately).Size of Tiles 600x600mm	sqm			
1.004	31.450	11.48.2 Grouting the joints of flooring tiles having joints of 3 mm width, using epoxy grout mix 0.70 kg of organic coated filler of desired shade (0.10 kg of hardener and 0.20 kg of resin per kg). including filling /grouting and finishing complete as per direction of Engineer-in-charge.Size of Tile 600x600 mm	sqm			
		Total				
		18 % GST				
		Grand Total				

(Rupeesonly)

Signature :

Name and Address of the quotatationer :

Date :

Registrar