

**PLANNING AND DEVELOPMENT BRANCH**

**NOTICE INVITING QUOTATIONS**

PLD-D/D-I/4432/2024

29.06.2024

Sealed competitive Quotations super scribed as "**Electrical Wiring works in connection with the Installation of Inverter at Ladies Hostel, Kasaragod Campus of Kannur University**" are invited from registered competent Electrical Contractors/firms.

Quotations with all details should reach the office of the Registrar, Kannur University, Kannur-2 on or before 15.07.2024 at 3.00 pm and the Quotations will be opened at 3.30 pm on the same day.

**Conditions:**

1. The rate quoted should be **inclusive of GST and all other charges if any**. The base rate, GST charges and other charges if any should be furnished separately and nothing extra shall be admissible over and above the rate quoted.
2. The Contractor shall arrange suitable materials and equipment and should be got approved by the Executive Engineer and work shall be executed as per KPWD specifications.
3. The Payment will be made through bank account and no advance payment will be sanctioned.
4. The successful bidder will be required to deposit Performance Guarantee/Security Deposit as per rules.
5. Work shall be completed within **60 days** from the date of agreement.
6. A defect liability period is **36 months** from the date of completion of work
7. Quotation forms and details of works can be had from the **[www.kannuruniv.ac.in](http://www.kannuruniv.ac.in)**.
8. The Registrar, Kannur University reserves the right to reject any of the quotations or all the quotations without assigning any reason whatsoever.
9. Quotation schedule is appended herewith.

Registrar

To

1. Notice Board
2. Website

**KANNUR UNIVERSITY****QUOTATION SCHEDULE****NAME OF THE WORK: Electrical Wiring works in connection with the Installation of Inverter at Ladies Hostel, Kasaragod Campus of Kannur University****LAST DATE OF SUBMISSION:**

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE IN FIGURES	RATE IN WORDS	AMOUNT (Rs)
1	110	Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required 2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	meter			
2	110	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 20mm	meter			
3	37	Supplying and fixing following piano type switch / socket on the existing switch box/ cover including connections etc. as required. 5/6 amps switch	nos			
4	23	Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc as required. 1 or 2 Module (75mm X 75mm)	nos			
5	3	Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc as required. 3 Module (100mm X 75mm)	nos			
6	16	Supplying and fixing 3 pin, 5 amp ceiling rose on the existing junction box/ wooden block including connection etc as required	nos			
7	1	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB, RCCB/ Isolator 8 way, Double door)	nos			

SL NO	QUANTITY	ITEM DESCRIPTION	UNIT	RATE IN FIGURES	RATE IN WORDS	AMOUNT (Rs)
8	4	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.Single pole	nos			
9	1	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.40 amps	nos			
10	1	Supplying and fixing following rating, double pole, (single phase and neutral), 240 V, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.25 amps	nos			
11	16	Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required2x4 sq.mm + 1x4 sq.mm earth wire	meter			
12	21	Supplying and fixing of batten/ angle holder with junction box including connection etc. as required.	nos			
13	16	Supply and installation of 20W led tube light fixture including connection etc. as required.	nos			
14	21	Supply and installation of 9W led bulb	nos			
<b>Total Amount</b>						
<b>GST @ 18%</b>						
<b>Grand total( Including GST)</b>						

(Rupees .....Only)

**SIGNATURE:**

**Name & Address of the of the Contractor:**

**Date:**

**REGISTRAR**