

**KANNUR UNIVERSITY**  
**(PM USHA-B SECTION)**

TEL : 0497 2715321

email: registrar@kannuruniv.ac.in, sopmub@kannuruniv.ac.in

**TENDER NOTICE**

No.PMU-B/BII/8750/2025

30.07.2025

Sealed tenders with superscription "**Supply and Installation of camera Accessories**" are invited from eligible, reputed, and bonafide agencies for the supply and Installation of Camera Accessories for selected Cameras to Various Kannur University Departments across Kannur, Wayanad, Kasaragod Districts (Under PM USHA Scheme), in accordance with the Technical Specifications and Schedule detailed below. Tender should reach the Registrar, Kannur University, Civil Station PO, Kannur - 670 002 on or before **3 PM, 12-08-2025** and the tenders will be opened at **4 PM on same day**. The Registrar, Kannur University reserves the right to accept or reject any tender without assigning any reason thereof.

TENDER NOTICE NO	No.PMU-B/BII/8750/2025
NAME OF WORK	Supply and Installation of various Camera Accessories
EMD	₹ 2,495/-
TENDER SUBMISSION FEE	₹ 590/- (Including 18% GST of ₹90)
MODE OF PAYMENT	Demand Draft
BID SUBMISSION END DATE AND TIME	12-08-2025, 3 PM
BID OPENING DATE AND TIME	12-08-2025, 4 PM

**TECHNICAL SPECIFICATIONS AND LOCATION TO SUPPLY**

SL NO	SELECTED CAMERA	Required Accessories	Specification	QTY (nos)	Location to Supply
1	Nikon Mirrorless Z5 KIT with Nikkor Z 24-200MM F/4.63 VR LENS	Dry Cabinet	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	Department of Anthropology, Dr Janaki Ammal Campus, Palayad, Thalassery, Kannur- 670 661
		Wireless Mic For Camera	1000 feet wireless range Studio-Grade 48 KHz/24 bit Audio Power Source: Battery Powered Battery Life : 40 Hours No.Of Batteries : 4 Lithiom ion batteries (included type) Signal to Noise Ratio: 20 H to 20 kHz Audio Sensitivity : 115 dB Polar Pattern : Omni directional No.of Channels : 2	1	

		<b>Camera Bag</b>	Style : Camera and Lens Backpack Waterproof :Yes Colour: Black Type of closure :Zipper	1	
		<b>Battery for Camera</b>	Battery for Nikon Z5 camera Battery No : EN-EL 15	1	
		<b>U.V Filter</b>	UV Filter for Nikon Z5 with Nikkor Z 24-200 mm f/4.63 VR Lens	1	
		<b>Flash for Camera</b>	High Power flash output Fast recycle time Hotshot Type Battery Life : 8 Hours Flash Sync Speed: 1/200	1	
2	<b>Nikon Mirrorless Z5 KIT with Nikkor Z 24-200MM F/4.63 LENS</b>	<b>Dry Cabinet</b>	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	<b>Department of Journalism and Media Studies.</b> Mangattuparamba Campus, Mangattuparamba Campus P.O Kannur - 670 567
		<b>Wireless Mic For Camera</b>	1000 feet wireless range Studio-Grade 48 KHz/24 bit Audio Power Source: Battery Powered Battery Life : 40 Hours No.Of Batteries : 4 Lithiom ion batteries (included type) Signal to Noise Ratio: 20 H to 20 kHz Audio Sensitivity : 115 dB Polar Pattern : Omni directional No.of Channels : 2	1	
		<b>Camera Bag</b>	Style : Camera and Lens Backpack Waterproof :Yes Colour: Black Type of closure :Zipper	1	
		<b>Battery for Camera</b>	Battery for Nikon Z5 camera Battery No : EN-EL 15	1	
		<b>U.V Filter</b>	UV Filter for Nikon Z5 with Nikkor Z 24-200 mm f/4.63 VR Lens	1	
		<b>Flash for Camera</b>	High Power flash output Fast recycle time Hotshot Type Battery Life : 8 Hours Flash Sync Speed: 1/200	1	
3	<b>Sony Alpha ILCE-7M3K Camera with 28-70 mm Lens</b>	<b>Dry Cabinet</b>	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	<b>Department of History.</b> Mangattuparamba Campus,

		<b>Camera Bag</b>	Style : Camera and Lens Backpack Waterproof :Yes Colour: Black Type of closure :Zipper	1	Mangattuparamba Campus P.O Kannur - 670 567
4	Canon EOS R50 RF-S 18-45 mm f/4.5 - 6.3 IS STM	<b>Dry Cabinet</b>	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	Department of <b>Hindi</b> Dr.P.K Rajan Memorial Campus, Palathadam, Nileswaram, Kasaragod - 671 314
		<b>Camera Bag</b>	Style : Camera and Lens Backpack Waterproof :Yes Colour: Black Type of closure :Zipper	1	
5	Canon EOS R50 RF-S 18-45 mm f/4.5 - 6.3 IS STM	<b>Dry Cabinet</b>	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	Department of <b>Zoology</b> Mananthavady Campus, Edavaka P O Wayanad - 670 645
6	Canon EOS R6 MKII 24-105 USM	<b>Dry Cabinet</b>	Capacity: 30 litres Humidity Control : Manual Display : Digital LCD Dual LED Monitor Compartments: 2 Power Supply : 110 - 220 V	1	
		<b>Wireless Mic</b>	1000 feet wireless range Studio-Grade 48 KHz/24 bit Audio Power Source: Battery Powered Battery Life : 40 Hours No.Of Batteries : 4 Lithiom ion batteries (included type) Signal to Noise Ratio: 20 H to 20 kHz Audio Sensitivity : 115 dB Polar Pattern : Omni directional No.of Channels : 2	1	
		<b>Camera Bag</b>	Style : Camera and Lens Backpack Waterproof :Yes Colour: Black Type of closure :Zipper	1	
		<b>Battery for Camera</b>	Battery for Canon EOS R6 MK II 24-105 USM Battery No. LP-E6NH	1	

<b>Round Flash Kit</b>	Coverage : Full Frame (28 to 105 mm) Auto Zoom Head : Yes Bounce Head : -7 to +120° Swivel Head : 330° Flash Duration: 1/300 to 1/20000 Second Recycle Time : Approx : 1.5 Sec Secondary Illumination: Modeling Light Exposure Controll: Canon (E-TTL/E- TTL II) Flash Models : Hi Speed Sync Second Curtain Sync Wireless Operation : radio (TTL/manual) upto 328.08'/100 mm (Master, Slave) Wireless Chaneles: 32 Wireless groups : 4 Internal Power: 1xRechargeable External Power Pack Compatible : No Mount : Shoe Camera terminal : 2.5 mm Dimensions (WxHxD) : 3x7.8x3.7"/76x197x93 mm Weight : 1.17 lb/530g (with battery)	1
<b>Video Light with Reflector</b>	Brightness : Range 0 -100% Display: LCD reflector Mount : Bowens Mount Colour temperature : 3200 - 5600 K Power Supply: AC 100 V - 240 V Max Power: 225 W (Soft Box and Video Light with reflector are suitable to each other)	2
<b>Soft Box, 80 CM</b>	Size: 80 CM (approx. 31.5 Inches) Shape : Octagonal Mount: Bowens Mount Design : Umbrella Style Diffusers : Features both inner and outer diffusers (Soft Box and Video Light with reflector are suitable to each other)	2
<b>Light Stand 14 feet</b>	Maximum Height :14 ft/168 Inch/472.2 cm Folded Height : 3.5 ft/42 inch/106.7 cm Maximum Load Capacity: 15 kg	2
<b>Gimbal</b>	Load capacity : 6.6 lb/3 kg Number of Axes: 3, Pitch(Tilt), Roll, Yaw (Pan)	

**Department of**  
**Malayalam**  
 Dr.P.K Rajan  
 Memorial Campus,  
 Palathadam,  
 Nileswaram,  
 Kasaragod - 671  
 314

		Rotation range Yaw(Pan) : 360° Roll : -95 to 240° Pitch (tilt) : -112 to 214° Follow speed pan/Tilt/Roll : 360°/s Connectivity Inputs/Outputs : 3xUSB-C (Control/Video), 1 x USB-C (Power) Wireless Frequency: 2.4 GHz Wireless Protocol : Bluetooth 5.0 Mobile App Compatible : Yes (Android and iOS) Battery Type : 1xBuilt in Battery capacity : 3000 mAh/21 Wh Battery Runtime: 12 Hours Battery Charging Time: 2.5 Hours Battery: Lithiom-Ion Polymer Voltage : 7.2 VDC Power Opearating Voltage : 7.2 VDC General Display Type: Fixed Touch Screen OLED Operating Conditions : -4 to 1130°F/ -20 to 45°C Materials: Aluminium Alloy Mounting : 1 x 1/4"-20 Female, 2x NATO rail Dimensions Folded : 10x9.6x3"/ 255 x 245 x 75 mm Unfolded: 14.6 x 7.5 x 7.4 " /370 x191x 189 mm Weight: 2.36lb/1.07 kg	1	
--	--	--	---	--

### TERMS AND CONDITIONS

**Tender form and General Conditions can be downloaded from University Website [www.kannuruniversity.ac.in](http://www.kannuruniversity.ac.in).**

The acceptance of Tenders will be subject to the following conditions:

1. The Tender Fee and EMD should be remitted by way of Demand Draft drawn in favour of the Finance Officer, Kannur University, payable at Kannur.
2. The bidder should send, along with his tender, a preliminary agreement executed and signed in Kerala Stamp Paper of value of Rs.200/- **(Format Available in the University Website)**.
3. The rate tendered should be inclusive of all taxes and charges for delivery and installation of items at the Department.
4. The bidders shall keep their rate firm for a period of 90 Days.
5. The bidder should have GST registration and the copy of the certificate shall invariably be attached with the tender documents.
6. The successful bidder shall, before signing the agreement and within the period specified in the letter of acceptance of this tender, deposit a sum equivalent to **5% of the value of the contract**

**as Security Deposit.**

7. The payment will be made through the account only after the delivery, testing and on proper presentation of the bills (in original and duplicate) along with advance stamped receipt specifying the letter of acceptance number and date. No advance payment will be made.
8. Tender Schedule is Attached as Annexure -1



**REGISTRAR**

**TENDER SCHEDULE**

Sl No	Selected Camera	Required Accessories	Qty (Nos)	Unit Price (₹) Including GST	Total Amount (₹) Including GST
1	Nikon Mirrorless Z5 KIT with Nikkor Z 24-200MM F/4.63 VR LENS	Dry Cabinet	2		
		Wireless Mic For Camera	2		
		Camera Bag	2		
		Battery for Camera	2		
		U.V Filter	2		
		Flash for Camera	2		
2	Sony Alpha ILCE-7M3K Camera with 28-70 mm Lens	Dry Cabinet	1		
		Camera Bag	1		
3	Canon EOS R50 RF-S 18-45 mm f/4.5 - 6.3 IS STM	Dry Cabinet	2		
		Camera Bag	1		
4	Canon EOS R6 MKII 24-105 USM	Dry Cabinet	1		
		Wireless Mic	1		
		Camera Bag	1		
		Battery for Camera	1		
		Round Flash Kit	1		
		Video Light with Reflector	2		
		Soft Box, 80 CM	2		
		Light Stand 14 feet	2		
		Gimbal	1		
Sum Total (Including GST) :					
(Rupees.....only)					

Signature :

Name &amp; Address of the Tenderer:

Place &amp; Date:

  
 Registrar

