(PLANNING AND DEVELOPMENT BRANCH) NOTICE INVITING TENDERS

PLD/E3/12201/2023

24.06.2024

Sealed competitive tenders super scribed as "Electrical Wiring works for Department of Environmental Studies , Mangattuparamba Campus" are invited from registered competent Contractors/firms.

| SI.No | Name of Work | EMD | TENDER FEE | Time for the completion of work | Last date of receipt in University Office |
|-------|--|------------|------------------------------------|---------------------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 1 | Electrical Wiring works for Department of Environmental Studies , Mangattuparamba Campus | Rs.4,620/- | Rs.590/- including GST @ 18% | 45 days from the date of | 03-07- 2024 3PM |

- 1. Tender Form can be had from Kannur University Website www.kannuruniversity.ac.in.
- 2. A sum of Rs.590/- (including GST @18%) towards the cost of Tender form and an amount of Rs.4,620/- as EMD should be remitted separately by way of Demand Draft drawn in favour of Finance Officer, Kannur University, payable at SBI South Bazar Branch, Kannur or Kannur Branch of any other Nationalized or scheduled Bank.
- 3. The Tenderer should send along with the tender an initial agreement executed and signed in Kerala Stamp Paper of value ₹.200/-
- 4. The Tenderer shall have valid GST registration and shall furnish a copy of registration certificate along with the tender documents.
- 5. The successful Tenderer before signing the Agreement and within the period specified in the work order, shall deposit a sum equivalent to 5% of the value of the contract as Performance Guarantee (Security Deposit)
- The rate quoted should be inclusive of GST and all other charges if any. The base rate, GST charges and other charges if any should be furnished separately and nothing extra shall be admissible over and above the rate quoted.
- 7. No enhancement of rate is applicable once the agreement is executed.
- 8. The Tenderer, before submitting Tender for the work shall ensure that, the tenderer visited the Site and satisfied himself about the site conditions for construction

works (including arranging facilities of water and electricity) and for logistics and smooth flow of workmen ,and materials as well as permission from Authorities for this purpose.

9. Payment will be made through account and no advance payment will be

sanctioned

10. Received tenders will be opened on 03-07-2014 at 3.30 p.m

- 11. If the last date of receipt of tender happens to be holiday on any unforeseen reasons, the last day of receipt and the opening of the tender will be changed to the next working day.
- 12. Tender schedule is attached .Further details of work can be had from the Planning and Development Branch on all working days up to 5 pm.

The Registrar, Kannur University, reserves the right to reject any of the tenders or all the tenders without assigning any reason whatsoever.

Prof. (Dr.) Joby K Jose Registrar

W

To

1. Notice Board

2.Website

KANNUR UNIVERSITY

TENDER SCHEDULE

NAME OF THE WORK: Electrical Wiring works for Department of environmental Studies at Mangattuparamaba Campus

LAST DATE OF SUBMISSION: 03-07-2024

| SL.NO | QUANTITY | ITEM DESCRIPTION | UNIT | RATE IN FIGURES | RATE IN WORDS | AMOUNT | REMARKS |
|-------|----------|--|------|-----------------|---------------|--------|---------|
| 1 | 1 | Supplying and fixing following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface / recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required.(But without MCB/RCCB/Isolator)8 way (4 + 24), Double door | each | | | | |
| 2 | 21 | Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.Single pole | each | | | | |
| 3 | 1 | Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.63 amps | each | | | | |
| 4 | 30 | Supply, laying and clamping of 1 no. PVC insulated and PVC sheathed armoured aluminium power cable, 1.1 KV grade of the following sizes using clamps noted along with the cables, spacing of clamps not exceeding 60cms, making good the damages, colour washing etc. as required.4 core 4 sq mm with factory made clamp | mtr | | | | |
| 5 | 290 | Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.20mm | mtr | | | | |
| 6 | 1 | Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. As required. 160 Amp TP&N | each | | | | |

| SL.NO | QUANTITY | ITEM DESCRIPTION | UNIT | RATE IN FIGURES | RATE IN WORDS | AMOUNT | REMARKS |
|-------|----------|--|------|---|---------------|--------|-----------------------------|
| 7 | 2 | Supplying and fixing following way prewired TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box, terminal connectors for all incoming andoutgoing circuits, duly prewired with suitable size FRLS PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, powder painted including earthing etc. as required. (But without MCB/ RCCB/Isolator) 4 way (4+12), Double door | each | | | χ. | |
| 8 | 2 | Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.100 amps | each | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | | 11 11 12 (1990) 1 (1) |
| 9 | 8 | Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.4 X 35 sq. mm (32mm) | mtr | | | | |
| 10 | 30 | Supply, laying and clamping of 1 no, PVC insulated and PVC sheathed armoured aluminium power cable, 1.1 KV grade of the following sizes using clamps noted along with the cables, spacing of clamps not exceeding 60cms, making good the damages, colour washing etc. as required.4 core 35 sq mm with factory made clamp | mtr | | | | |
| 11 | 10 | Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/PVC conduit as required.2 x 6 sq. Mm | mtr | | | | |

| SL.NO | QUANTITY | ITEM DESCRIPTION | UNIT | RATE IN FIGURES | RATE IN WORDS | AMOUNT | REMARKS |
|-------|----------|---|------|-----------------|--------------------------|--------|---------|
| 12 | 9 | Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.32mm | mtr | | | | |
| 13 | 1 | Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Triple pole | each | | | | |
| 14 | 25 | Supply & Fixing the following types/ sizes of boxes suitable for modular accessories in surface/ recess including making good the damages, colour washing etc as required (RoHS compliant)4 module moulded plastic box on surface | each | | | | |
| 15 | 50 | Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/ PVC conduit as required.3 x 2.5 sq. Mm | mtr | | | | |
| 16 | 250 | Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel/ PVC conduit as required.3 x 4 sq. Mm | mtr | | | | |
| 17 | 25 | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.15/16 amp switch | each | | | | |
| 18 | 25 | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box | each | | | | |
| 19 | 25 | Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. As required,4 Module | each | 7 | | | |
| | | Total Amount | | 4. | OKENSTALIN SPECIAL SHEET | | |
| | | GST @ 18% | | | - | | |
| | | Total Amount including GST | | | | | |

| Rupees | Onl | y |
|--------|-----|---|
|--------|-----|---|

SIGNATURE

Name & Address of the of the tenderer

Date